

## Referenties

- Aalderen, R. van (2012). Case studie uitzet karper binnen de kaders van de KRW. Sportvisserij Nederland, Bilthoven.
- Badiou, P.H.J. (2006). Ecological impacts of an exotic benthivorous fish in Wetlands: a comparison between common carp (*Cyprinus carpio* L.) additions in large experimental Wetlands and small Mecocosms in Delta Marsh, Manitoba. Thesis, University of Manitoba (abstract only).
- Badiou, P.H.J. & L.G. Goldsborough (2010). Ecological impacts of an exotic benthivorous fish in large experimental wetlands, Delta Marsh, Canada. *Wetlands* 30 (4): 657-667 [abstract only]
- Bajer, P.G. & P.W. Sorensen (2010). Recruitment and abundance of an invasive fish, the common carp, is driven by its propensity to invade and produce in basins that experience winter-time hypoxia in interconnected lakes. *Biological Invasions* DOI 10.1007/s 10530-009-9528-y.
- Barthelmes, D. , U. Braemick (2003). Variability of a cyprinid lake ecosystem with special emphasis on the native fish fauna under intensive fisheries management including common carp (*Cyprinus carpio*) and silver carp (*Hypophthalmichthys molitrix*). *Limnologica* 33: 10-28
- Breukelaar, A.W., E.H.R.R. Lammens, J.G.P. Klein-Breteler & I. Tatrai. 1994. Effects of benthivorous bream (*Abramis brama*) and carp (*Cyprinus carpio*) on sediment resuspension and concentrations of nutrients and chlorophyll a. *Freshwater Biology* 32: 113-121.
- Breukelaar, A.W. (1992). Effect van bodemwoelende vis op de waterkwaliteit. RIZA-nota 92-038, RIZA, Lelystad.
- Breukelaar, A. (1992). Effect van bodemwoelende vis op de waterkwaliteit. RIZA-nota 92-038. RIZA, Lelystad.
- Cahn , A.R.(1929). The effect of carp on a small lake: The carp as a dominant. *Ecology*, 10 : 271 – 274.
- Chumchal, M.W., W.H. Nowlin, R.W. Drenner (2005). Biomass-dependent effects of common carp on water quality in shallow ponds. *Hydrobiologia* 545: 271-277.
- Driver, P.D., G.P. Closs, T. Koen (2005). The effects of size and density of carp (*Cyprinus carpio* L. ) on water quality in an experimental pond. *Archiv für Hydrobiologie* 163: 117-131.
- Edwards, E.A., K. Twomey (1982). Habitat suitability index models: common carp. US Fish & Wildl. Serv. FWS/OBS-82/10.12
- Klein Breteler, J.P.G. & G.A.J. de Laak. (2003). *Lengte-gewicht relaties Nederlandse vissoorten*. Deelrapport 1 versie 2, OVB, Nieuwegein.
- Egertson, C.J. & J.A. Downing (2004). Relationship of fish catch and composition to water quality in a suite of agriculturally eutrophic lakes. *Can.J.Fish. Aquat. Sci.* 61: 1784-1796.
- Hertam, S.C. (2010). The Effects of Common Carp (*Cyprinus carpio* L.) on Water Quality, Algae and Submerged Vegetation in Delta Marsh, Manitoba. Thesis, University of Manitoba.

- Heuts, P.G.M. (2007). Effect van benthivore vissen, met name karper (*Cyprinus carpio* L.) op de waterkwaliteit, een literatuuronderzoek. Hoogheemraadschap De Stichtse Rijnlanden, Houten.
- Jackson, Z.J., M.C. Quist, J.A. Downing, J.G. Larscheid (2010). Common carp, sport fishes and water quality : ecological tresholds in agriculturally eutrophic lakes, Lake and reservoir management 26: 1, 14-22.
- June, F.C. (1977). Reproductive patterns in seventeen fish species of warmwater fishes in a Missouri River reservoir. *Env. Biol. Fish.* 2: 285-296.
- Kroes, M., B. Bakker, S. Solie (2010). KRW-maatlatten voor vis in ondiepe gebufferde M-watertypen: bouwstenen voor de evaluatie van de referenties en maatlatten . TAUW Water, Utrecht.
- Matsuzaki, S.S. , N. Usio, N. Takamura, I. Washitani (2007). Effects of common carp on nutrient dynamics and littoral community composition: roles of excretion and bioturbation. *Fundam. Appl. Limnol.* 168: 27-38. [ Abstract only].
- Molen, D.T. van der & R. Pot. 2007. STOWA 2007-32 B Referenties en Maatlatten voor natuurlijke watertypen voor de kaderrichtlijn water – aanvullingen.
- Oezbay, H.F. (2008). An enclosure experiment to test the effects of common carp on the water quality in a shallow Turkish soda lake. *Environmental Bulletin* 17. 12a : 2078-2082.
- Parkos, J.J. III, V.J. Santucci, D.H. Wahl (2003). Effects of adult common carp (*Cyprinus carpio*) on multiple trophic levels in shallow mesocosms. *Canadian Journal of Fisheries and Aquatic Science* 60: 182-192. [figuren]
- Parks, C.R. (2006). Experimental manipulation of connectivity and common carp; the effects on native fish, water-column invertebrates and amphibians in Delta Marsh, Manitoba. Thesis, University of Manitoba.
- Phelps, Q.E., B.D.S. Graeb, DW.Willis (2008). Influence of the Moran effect on spatiotemporal synchrony in common carp recruitment. *Transactions of the American Fisheries Society* 137: 1701-1708.
- Pot, R. (2005). Default-MEP/GEP's voor sterk veranderde en kunstmatige wateren. (Conceptversie 8, 30 november 2005)
- Raat, A.J.P. (1988). Synopsis of biological data on northern pike *Esox lucius* L.. FAO fisheries synopsis no. 30. Rev. 2. FAO, Rome.
- Roberts, J., A. Chick, L. Oswald, P. Thompson (1995). Effect of carp, *Cyprinus carpio* L., an exotic benthivorous fish, on aquatic plants and water quality in experimental ponds. *Mar. Freshwat. Res.* 46: 1171-1180. [ abstract only].
- Sarig, S. (1966). Synopsis of biological data on common carp *Cyprinus carpio* L. FAO Fisheries Synopsis no. 31.2. FAO, Rome.
- Scheffer, M (1998). Ecology of shallow lakes. Chapman&Hall, London.

Sidorkewicj, N., Cazorla, A.C.L, Murphy, K.J, Sabbatini, M.R., Fernandez, O. A. (1998). Interaction of Common Carp with Aquatic Weeds in Argentine Drainage Channel *Journal of Aquatic Plant Management* 36 (Jan 1998): 5-10.

Jaarsma, N., M. Klinge, L.P.M. Lamers, (2008). Van troebel naar helder..... en weer terug, Stowa, Utrecht.

Weber, J.M., M.L. Brown (2009). Effects of Common Carp on Aquatic Ecosystems 80 Years after "Carp as a Dominant": Ecological Insights for Fisheries Management. *Reviews in Fisheries Science* 17 (4): 524-537.

Weber, J.M., M.L. Brown (2011) Relationships among invasive common carp, native fishes and physicochemical characteristics in upper Midwest (USA) lakes. *Ecology of Freshwater Fish* 20 (2): 270-278.

Weber, M.J., M.L. Brown, D.W. Willis (2010). Spatial variability of common carp populations in relation to lake morphology and physicochemical parameters in the upper Midwest United States. *Ecology of Freshwater Fish* 19: 255-565

Zaal, L. (2003). Licht onder water, Pilot-onderzoek naar het doorzicht voor duikers in recreatieplas De Berendonck, rapport 184, Wetenschapswinkel Wageningen UR.