

## Referenties:

Amorim M.C.P. (2006). Diversity of sound production in fish. In: Ladich, F., S.P. Collin, P. Moller, B.G. Kapoor (eds). Communication in fishes. Science Publishers, Enfield, NH, p. 71–105.

Braun, C.D., G.D. Coombs (2000). The overlapping roles of the inner ear and lateral line: the active space of dipole source detection. *Philosophical Transactions of the Royal Society B.*, 355: p. 1115-1119.

Coombs, G.D., C.B. Braun, B. Donovan (2001). Orienting response of Lake Michigan mottled sculpin is mediated by canal neuromasts. *Journal of Experimental Biology*, 204: p. 337–348.

Coombs, S., G.D. Grossman (2006). Mechanosensory based orienting behaviors in fluvial and lacustrine populations of mottled sculpin (*Cottus bairdi*). *Marine and Freshwater Behaviour and Physiology*, 39: p. 113–130.

Curcil-Blake, B., S.M. van Netten (2006). Source location encoding in the fish lateral line canal. *The Journal of Experimental Biology*, 209: p. 1548-1559.

Karlsen, H.E. (1992). The inner ear is responsible for the detection of infrasound in the perch (*Perca fluviatilis*). *The Journal of Experimental Biology*, 171: p. 163-172.

Karlsen, H.E., R.W. Piddington, P.S. Enger, O. Sand (2004). Infrasound initiates directional fast-start escape responses in juvenile roach *Rutilus rutilus*. *The Journal of Experimental Biology* 207: p. 4185-4193.

Maruska, K.P., U.S. Ung, R.D. Fernald (2012). The African Cichlid Fish *Astatotilapia burtoni* Uses Acoustic Communication for Reproduction: Sound Production, Hearing, and Behavioral Significance. *PLoS ONE* 7(5): e37612 (2012)

Mirjany, M. T. Preuss, D.S. Faber (2011). Role of the lateral line mechanosensory system in directionality of goldfish auditory evoked escape response. *The Journal of Experimental Biology*, 214: p. 3358-3367.

Montgomery, J., S. Coombs, M. Halstead (1995). Biology of the mechanosensory lateral line in Fishes. *Reviews in Fish Biology and Fisheries*, 5: p. 399-416.

Partridge, B.L., T.J. Pitcher (1980). The Sensory Basis of Fish Schools - Relative Roles of Lateral Line and Vision. *Journal of Comparative Physiology*, 135: p. 315-325

Popper, N.A., D.T.T. Plachta, D.A. Mann, D. Higgs (2004). Response of clupeid fish to ultrasound: a review. *ICES Journal of Marine Science*, 61: p. 1057-1061.

Popper, A.N. and M.C.Hastings (2009). The effects of anthropogenic sources of sound on fishes. *Journal of Fish Biology*, 75: p. 455–489.

Popper, N.A., C.R. Schilt (2008). Hearing and Acoustic Behavior: Basic and Applied Considerations. In: Webb, J. F., Fay, R. R. and Popper, A. N. (eds). *Fish Bioacoustics*.

Satou, M. H.-A. Takeuchi, J. Nishii, M. Tanabe, S. Kitamura, N. Okumoto, M. Iwata (1994). Behavioral and electrophysiological evidences that the lateral line is involved in

the inter-sexual vibrational communication of the hime salmon (landlocked red salmon, *Oncorhynchus nerka*). *Journal of Comparative Physiology A*, 174: p. 539-549.

Slabbekoorn, N. Bouton, I. van Opzeeland, A. Coers, C. ten Cate, A.N. Popper (2010). A noisy spring: the impact of globally rising underwater levels. *Trends in Ecology & Evolution*, 25(7): p. 419-427.

Schwalbe, M.A., D.K. Bassest, J.F. Webb (2012). Feeding in the dark: lateral-line-mediated prey detection in the peacock cichlid *Aulonocara stuartgranti*. *The Journal of Experimental Biology*, 215: p. 2060-2071.

