

## Geraadpleegde literatuur artikel : Zieke karpers door virussen

- Haenen, O. e.a. (2013) 'Koi Sleepy Disease' voor het eerst in Nederland aangetoond in koikarpers. Diergeneeskunde no.5: p. 27-29.
- Hesami, S. e.a. (2015). Carp Edema Virus Disease (CEVD) / Koi Sleepy Disease (KSD) online: <http://edis.ifas.ufl.edu/FA189>.
- Miyazaki, T. E.a. (2005). Histopathological and electron microscopy studies on sleepy disease of koi *Cyprinus carpio* koi in Japan. Diseases of Aquatic Organisms. Vol. 65 no. 3, p. 197-207.
- Matras, M. e.a. (2016) Carp edema virus in Polish aquaculture – evidence of significant sequence divergence and a new lineage in common carp *Cyprinus carpio* (L.) Journal of Fish Diseases |online: DOI: 10.1111/jfd.12518
- OIE (2017) Manual of diagnostic tests for aquatic animals,online: <http://www.oie.int/international-standard-setting/aquatic-manual/access-online/>
- Oyamatsu, T. e.a. (1997). An Etiological Study on Mass Mortality of Cultured Colorcarp Juveniles Showing Edema. Fish Pathology vol. 32, no. 2 p.81-88.
- Swaminathan, T. e.a., 2016. J Gen Virol 97: 3392-3399.
- Way, K. & Stone, D. (2013). Emergence of carp edema virus-like (CEV-like) disease in the UK. Finfish News. CEFAS Lowestoft vol.15, p. 32-34
- Way, K. e.a. (2017). The emergence of carp edema virus (CEV) and its significance to European common carp and koi, *Cyprinus carpio*. Diseases of Aquatic Organisms, januari 2017.
- Zhang, X. e.a. (2017). Carp edema virus, an emerging threat to the carp (*Cyprinus carpio*) industry in China .Aquaculture, vol. 474, may 2017, p, 34 - 39.